PARKER-HALE SPORTING RIFLES


CASSELL'S POPULAR NATURAL HISTORY.
THE DEER.
THE STAG, THE HIND, AND THE FAWN OF THE RED DEER.
All travellers agree in stating that there is no kind of covering so fitted for the Arctic regions, or
so capable of resisting intense cold, as the skin of the rein-deer. "The hairs composing their coat,"
says Mr. Brooke, "are indeed, so thick, that it is hardly possible, by separating them in any way, to
WHAT YOU ARE SMOKING
JOHN SINCLAIR Limited.

Clip Loading

PH 1200C Super Clip

NEW! **NEW OPTION ON SUPER CLIP**

The Parker-Hale 1200C Super Clip model is alternatively available in all calibers without sights but complete with Parker-Hale "Roll-Off" Scope Mounts and bases.

- Instant Clip Loading • Rollover Monte Carlo cheekpiece • Handcrafted skip checkering on duotone Custom Walnut stock • Rosewood fore-end tip and grip cap • Wundhammer grip • Ultra high gloss stock finish • Ventilated rubber recoil pad • Incomparable Mauser-type action • Finest blue luster on metal parts • Adjustable single stage trigger mechanism • 18ct. gold plated trigger • 3-way silent safety: locks trigger, sear and bolt • Cold forged barrel • Folding adjustable rearsigh, bead frontsight with hood • Receiver drilled and tapped for "Roll Off" scope base blocks.

SPECIFICATION

1243C - .243	1206C - .30/06	1207RC - 7mm rem. magnum
1260C - 6mm	1208C - .308	1230WC - 300 win. magnum
1256C - .25/06	1270C - .270	1250 - .22/250

Super 1200C
Barrel length: 24", Overall length: 45"
Drop at comb: 1.8" drop at heel: 2.3" Drop at Monte Carlo: 1.6".
Length of pull: 13½" Weight: 7lbs (approx.)

Super 1200
As above but with hinged floor plate magazine. In caliber .22/250



PH 1200v Varmint

- Incomparable Mauser-type action, epoxy-resin bedded • Free floating 4lb target quality, cold forged barrel • Receiver and barrel drilled and tapped to accommodate hunting scopes (alternatively to take target scopes) • Finest blue luster on metal parts • Single-stage trigger mechanism, adjustable for weight and backlash • 18ct. gold plated trigger • Three-way silent safety: locks trigger, sear and bolt • Hinged floor plate magazine • Rollover Monte Carlo cheekpiece • Handcrafted skip checkering on Duotone Custom Walnut stock • Rosewood fore-end tip and grip cap • Wundhammer grip • Ultra high gloss stock finish • Ventilated rubber recoil pad.

SPECIFICATION

1250V - .22/250
1260V - 6mm
1243V - .243

Barrel length: 24", Overall length: 45"
Cartridge capacity: 5 shot, Drop at comb: 1.8"
Drop at heel: 2.3", Length of pull: 13½"
Weight: 9½lbs (approx.)

Free Base Blocks

These rifles are supplied with Parker-Hale scope mount bases at no extra charge.

The receiver is drilled and tapped to accommodate these bases and to mount a scope it is only necessary to obtain a pair of scope rings such as Parker-Hale 'Roll-Off' Mounts.



PH1100 De Luxe

•Monte Carlo walnut stock with fluted, semi-beavertail fore-end •Hand-checkered on underside and grip •Full pistol grip with palm swell •Ventilated rubber recoil pad •Incomparable Mauser type action •Adjustable single stage trigger mechanism •3-way silent safety: locks trigger, sear and bolt •Cold forged barrel •Distinctively engraved hinged floor plate magazine •Folding adjustable rearsight, bead frontsight with hood. •Supplied with free scope base blocks •Fitted sling swivels.

SPECIFICATION

Calibres:	·22/250, ·243, 6mm Rem, ·270, ·30/06, ·308.
Barrel Length:	24" Overall Length: 45"
Cartridge capacity:	5 shot, Drop at comb: 1·8"
Drop at heel:	2·3" Length of pull: 13·5" Weight: 7¼ lbs.



Midland 2100

The new Midland 2100 hunting rifle that combines the features of a high performance sporter at a truly economical price. Built on a classic design and independently proof tested for extra security, the Midland 2100 is made to Parker-Hale's high standard of quality.

Incorporating the essential practical features of more expensive rifles, the Midland 2100 does not dispense with all luxuries—there are, for example, a hinged floor plate and adjustable trigger.

The action features a low, back-swept bolt handle, for ample scope clearance, long Mauser-type, non-rotating claw extractor and one piece forged construction with extra safety lug—all the features of the classic Mauser action at a fraction of the normal cost.

Experts acknowledge that the Mauser-type action requires less maintenance than any other so the Midland means trouble free shooting. The rifle has a well-seasoned, hand checkered walnut stock.

SPECIFICATION

Calibres:	·243, ·270, ·30/06, ·308, 6·5 × 55.
Barrel length:	24 inches.
Overall length:	45 inches.
Magazine Capacity:	4 shot.
Sights:	Bead front sight, folding adjustable rear-sight.
Receiver:	Drilled and tapped for P-H scope base blocks.
Stock:	Seasoned walnut hand checkered.

Supplied with own bases

To enable you to mount a scope on this new action Parker-Hale base blocks are supplied. The blocks will accommodate Parker-Hale 'Roll-Off' Mounts.

PH1100M African Magnum

The Parker-Hale African Magnum has been developed in conjunction with professional hunters and game wardens throughout Africa and built for a rugged lifetime of use. Amongst the many features of this great Parker-Hale Sporter in .375 Magnum and .458 Magnum are a single stage adjustable trigger; hand adjusted feed and fully bedded stock; fixed shallow V backsight with vertical white line; ramp mounted bead foresight with tubular protector; top quality 22" cold forged steel barrel; fully checkered; specially selected European Walnut Stock with Monte Carlo cheekpiece, snobble fore-end. Handsome white spacers add elegant finish to the double ventilated recoil pad and grip cap. Drilled and tapped, but not fitted with scope blocks (these are supplied at no extra charge with each rifle). A special feature of this weapon is the fine black satin nonreflective finish on metal parts. Other notable features of the Safari African Magnum are a specially secure hinged floorplate with release in the trigger guard; 180 degrees flag type safety; back-swept bolt lever.



SPECIFICATION

Calibre: .375 Magnum, .458 Magnum. Barrel length: 22". Overall length: 44½. Magazine capacity: 3 shot. Sights: Standard fixed shallow V backsight and bead foresight. Receiver: Drilled and tapped for "Roll-Off" Custom checkered. Drop at Comb: 1 3/4". Drop at Heel 2 3/4". Drop at 11 75 - .375 Magnum 11 58 - .458 Magnum

PH Custom

• Rugged yet lightweight Lee Enfield of proven reliability • Latest custom line duotone Walnut stock with Monte Carlo cheekpiece • Fine checkering, white spacers at grip cap and fore-end • Drilled and tapped to accommodate an adjustable PH side mount base • Flip-up rearsight • Bead frontsight with hood • New PH cold forged barrel • Metal parts finished to a fine blue luster • Fitted with butt plate, white line spacer and swivels.



The lowest, sleekest, strongest one-piece mount base for Custom Enfields. Soldi machined dural, polished and anodised to fine blackluster. Custom No. 1: BA27. Custom No. 4: BA29.

SPECIFICATION

Barrel length: 19"
Magazine capacity: 5 shot.
Weight: 7lbs. (approx.)

Clip Loading



Spare clip magazines for the Parker-Hale 1200C Super Clip may be ordered by quoting the list numbers shown.

Super Clip 1200C

P46 .270, 30/06
P47 .213, 6mm .308
P48 7mm Mag .300 Win. Mag

1853 Enfield Rifle Musket

recreated by Parker-Hale

The Enfield Rifle Musket marked the zenith in design and manufacture of the military percussion rifle and this perfection has been meticulously reproduced by Parker-Hale with reference to the original 120 year-old gauges.

The 1853 Enfield Rifle Musket specification includes finest seasoned European walnut stock and solid cast brass furniture.

The 3 grooved barrel is rifled by the cold forging method and proof tested using the original type of Enfield proof bullet with a massive powder charge.

The locks are beautifully colour hardened by the original bone charcoal technique and particular attention is paid to the intimate fit of wood to metal.

The tangent sights are the best on any reproduction rifle.

This and the other Enfield muzzle loaders reproduced by Parker-Hale were the most coveted rifles of the Civil War, treasured by Union and Confederate troops alike for their fine quality and deadly accuracy.

SPECIFICATION

Three band, Calibre ·577". Barrel length 39". Overall length 55". Weight 9 lbs (approx). Stock seasoned walnut with solid brass furniture. Rifling 3-groove, cold forged. Sights: rear sight graduated to 900 yards, front sight fixed.

1858 Enfield Rifle

recreated by Parker-Hale

In the late 1850's the British Admiralty, after extensive experiments, settled on a pattern of rifle which had a 5-groove barrel of heavy construction, sighted to 1100 yards, and this was designated the Naval rifle, Pattern 1858.

In their recreation of this famous rifle Parker-Hale have referred to the original 1858 two band Enfield Rifle in the Tower of London and have closely followed the specification even to the progressive depth rifling.

The 1858 Enfield Rifle is a superb piece of workmanship which meets the same high standards as other Parker-Hale Enfield reproductions.

SPECIFICATION

Naval rifle pattern 1858 two band. Calibre ·577". Barrel length 33". Overall length 48.5". Weight 8 lbs 8 ozs (approx). Stock: seasoned walnut with solid brass furniture. Barrel: 5 grooves of progressive depth (.008" deeper at breech than muzzle), 1 in 48" twist, cold forged. Sights: rear sight graduated to 1100 yards, front sight fixed.

1861 Enfield Musketoon

With FREE accessories

recreated by Parker-Hale

Parker-Hale, with the assistance of the OAD Pattern Room at Enfield, England, have recreated the P'1861 Artillery Carbine using the unique sealed pattern and original gauges for complete authenticity.

As in the case of the 1853 and 1858 the original specification has been meticulously followed and only the finest materials and craftsmanship employed through-out each stage of manufacture.

The 1861 Enfield Musketoon is a Limited Collector's edition, individually serial numbered with certificate of authenticity.

Supplied complete with many attractive extras: Facsimile 1859 'Instructions of Musketry' Handbook. Replica 8-part Combination Tool. Original type snap cap and chain. Cleaning aids. Embroidered coat badge

SPECIFICATION

Artillery carbine three band. Calibre ·577". Barrel length 24". Overall length 40.25". Weight 7 lbs 8 ozs (approx). Stock: seasoned walnut with solid brass furniture. Barrel: 5 grooves of progressive depth (.008" deeper at breech than muzzle), 1 in 48" twist, cold forged. Sights: rear sight graduated to 600 yards, front sight fixed.

Parker-Hale Whitworth

With FREE accessories

Military Target Rifle

Parker-Hale have recreated the military sharpshooter Whitworth rifle exactly as developed by Sir Joseph Whitworth having a hexagonal ·451 calibre bore with a pitch of 1 turn in 20 inches. This rifle has great accuracy up to long ranges.

The patent breech raises breech pressure and the 'detented lock', fitted by Parker-Hale, allows fine adjustment without the risk of damage.

The Walnut stock is carefully hand checkered at wrist and forend in the original style. Authentic globe front sight.

The rifle is supplied with a comprehensive kit of accessories including special bullet mould, sizing die and punch, hexagonal wad punch, cleaning attachments, high quality nipple key, spare copper berillium nipple and full instructions for loading and maintenance.

SPECIFICATION

Three band. Calibre .451". Barrel length 36". Overall length 52.25". Weight 9 lbs. 8 ozs. (approx.). Stock: seasoned walnut with solid brass furniture. Barrel: Joseph Whitworth patent hexagonal rifling .451 calibre 1 turn in 20 inches. Sights: rear sight graduated to 1000 yards and supplied with interchangeable leaves, adjustable for windage. Dovetail globe front sight.

Parker-Hale Mounts

The finest mounts made.

The streamlined range of Parker-Hale "Roll-Off" Mounts, produced in anodised aluminum, are light-weight yet ultra strong. Designed to be removed and replaced in seconds with no shift of zero. Absolutely no 'scope slip' with engineer's socket head screws. Wrench supplied. Recoil control studs .Choice of heights (LOW and HIGH) and ring diameters (1" and 26mm).

Side mount for Custom Enfields.

The lowest, sleekest, strongest one-piece mont base for Custom Enfields. Solid machined dural, polished and anodised to fine black luster.
Custom No. 1: BA 27, Custom No. 4: BA 29.



Special Features

- Instantly removable
- Absolutely accurate realignment of refitting
- Easily installed
- Rugged construction
- Beautifully finished
- Inexpensive

Varying heights of Mounts available for different scope object lens size
Lightweight – only 3 oz. complete with base blocks (where required)

RIFLE MODEL	REAR	FRONT	1 PIECE
ANSCHUTZ			
153 DE LUXE	16	16	
BROWNING			
Hi-Power bolt action with Mauser-type action	28	22	
BAR Semi-auto	19	19	
BLR Lever-action	28	28	
BSA			
Dovetailed receiver	fit to dovetailed receiver		
MONARCH DE LUXE, CF2	11	12	
CIL			
900	16	16	
950	31	12	
972C	28	22	
COOEY			
71	5	12	
LEE ENFIELD			
SMLE NO. 1			24
Parker-Hale Custom No. 1			27
No. 4 & No. 5 (Use high rings)	21	20	
Parker-Hale Custom No. 4			29
HARRINGTON & RICHARDSON			
300, 301, 330, 370	28	22	
HIGH STANDARD			
Hi-Power	16	12	
HUSQVARNA			
With Mauser type action approx. dia. 1.3"	16	12	
also HVA lightweight	16	12	
MOSSBERG			
800	16	12	
MAUSER F.N.			
(Including former Husqvarna Receiver ring approx. 1.410")	28	22	
MAUSER 98			
(With charger guide)	9	22	
PARKER-HALE			
1200, 1200C, 1200P, 1200V			
1100, 1100C, 1000, 1000C	28	22	
Midland Rifle 1200	40	39	
REMINGTON			
700 in cals. 270, 280, 30/06, 7mm Mag.,			
300 Win Mag., 264, 375, 458	11	12	
725 in cals. 280, 270, 30/06, 375	11	12	
721	11	12	
700 in cals. 222, 222 Mag., 22/250, 243,			
6mm., 308, 30/06	11	25	
722 40X 725 in cals. 222, 244, 243, 30/06	11	25	
740, 742, 760		26	
SAVAGE			
110	31	12	
WEATHERBY			
Mark V	11	12	
All others on FN Mauser actions	28	22	
WINCHESTER			
70 Postwar Models 300 H & H .375 H & H Mag.			
prior to 1964	30	12	
Post 1963 Models 375 H & H Mag.	30	12	
Post 1963 Model 300 Win Mag and all other calibres	5	12	
670, 770	5	12	
WE1			
12.5mm Dovetail block, 4" length drilled 2 holes for small cal. rifles without provision for scope mounting			WE1
BRNO			
17.3mm Dovetail adaptors to convert to 19mm			
Use Low or High rings	4443	4443	



Parker Hale

Ball Bearing Handle Celluoid-Covered Rods

Features a tough plastic handle, mounted on ball bearings, celluloid coated to protect your gun barrel. Complete with Jag.
No. 17 AL .77 Cal.
No. 22 AL 22 Cal. 37" length
No. 27 AL 270-30 Cal.
37" length
PBH1 .22 Cal. Pistol Rods
PBH2 .32 Cal. Pistol Rods
PBH3 .38 Cal. Pistol Rods
PBH4 .45 Cal. Pistol Rods
Shotgun rod features dual construction ribbed celluoid.
No. LSR2 12, 16 or 20 Gauge
(with jag.)

The Parker Hale Bronze Brushes, Jags and Wool Mops

The Parker Hale Bronze Brushes, Jags and Wool Mops. Selection Chart
Brushes available in: 17, 22, 24, 27, 30, 35 Cal. 40, 45, and 50 Cal.
Also 12, 20 and 410 Gauge for Shotgun.
Wool Mops Available in: 22, 30, 40
Also 12, 20 and 410 Gauge.
Jags Available in: 22, 24, 27, 30, 35 and 37 Cal.
Wire loops for shotgun



Express Oil

Designed specifically for efficient lubrication of all moving parts in guns and rifles in all climates and conditions.
4 oz. Tin with screw cap-pourer

Youngs "303" Cleaner.

A combined cleaner and rust preventer.
4 oz. tin with screw cap-pourer

Parker Hale Cleaning Patches — Available in:

F1 (Pack of 100) 22, 243, 25 and and 256 Cal.
F2 (Pack of 50) 270, 7mm, 32 and 38 Cal.
F3 (Pack of 50) 30, 303, 8mm and 410 Ga.
155B (Pack of 25) Shotgun Size
187C 4" Wide x 6 Yards
218 W Elbow Pad

Parker Hale Snap Caps

Dummy cartridges with a spring cushioned cap to prevent possible breakage of the gun's hammer nose on firing pin.
P307 NC1 12, and 20 Gauge



Rifle Flask by James Dixon & Sons, Sheffield A3073C

Heavy copper flask covered in real Morocco leather with 5-set double shutter brass top, graduated from 50-70 grains. Made exclusively for Parker-Hale to a classic design.

Shotgun & Rifle Flask

Similar to above but with single enclosed shutter top and 4-set nozzle, 2¼ to 3 drams.

Parker-Hale Oil Bottle & Cap Box

Beaufitul, exclusive Britannia Oil Bottle with screw top & dipper. Elegant Britannia Cap Box with hinged lid: holds 250 winged musket caps. Both finished with a finely engraved crown and Parker-Hale monogram to match the design on the rifles.



Parker-Hale Accessory Pack

Comprises specially designed bullet mould and handles, Young's Black Powder Solvent, hand-made brush & mop, 50 flannelette patches and spare nipple.

Parker-Hale Bullet Mould

Specially designed for Enfield muzzle loading rifles. Fine precision quality. Full instructions.

Parker-Hale Bullet Mould Handles

Good quality, 5/16" thick steel. Specially designed for the rifles.



Parker-Hale Young's Solvent

An emulsifying cleaner, black powder solvent and rust preventer.

Parker-Hale Badges

Beautifully embroidered coat badges.

Safari Arms Ltd.
25 Jutland Road, Toronto, Ontario, M8Z 2G6.